Planning Alcohol Interventions Using NIAAA's







## Contents

| Intro  | duction                                  | 1  |
|--------|--|----|
| Abou   | t CollegeAIM                             | 3  |
| Abou   | t the Interventions in <i>CollegeAIM</i> | 5  |
| How    | To Use CollegeAIM                        | 7  |
| The C  | CollegeAlM Tool                          |    |
|        | Matrix of Individual-Level Strategies    | 11 |
|        | Matrix of Environmental-Level Strategies | 12 |
| Strate | egy Summary Tables                       |    |
|        | Individual-Level Strategies              | 13 |
|        | Environmental-Level Strategies           | 19 |
| Appe   | ndices                                   |    |
|        | A: Strategy Planning Worksheet           | 27 |
|        | B: Frequently Asked Questions            | 28 |
|        | C: Supporting Resources.                 | 29 |
|        | D: Acknowledgments                       | 30 |



## Introduction

Harmful and underage drinking remain significant problems on U.S. campuses, despite our collective efforts to address them. Higher education officials understand that, all too often, alcohol-related problems can seem intractable, leading to questions and frustration over how best to reduce student drinking and its negative consequences.

The National Institute on Alcohol Abuse and Alcoholism (NIAAA) developed the *CollegeAIM* guide and website to help college personnel choose wisely among the many potential interventions to address harmful and underage college student drinking.

The centerpiece of the guide is a user-friendly, matrix-based tool developed with input from leading college alcohol researchers, along with college student life and alcohol and other drug (AOD) program staff. With this "college alcohol intervention matrix"—or *CollegeAIM* tool—school officials can easily use research-based information to inform decisions about alcohol intervention strategies.

If you are involved in efforts to reduce underage drinking and prevent alcohol-related harm on your campus, you are in a critical position to improve the health and safety of your students—and NIAAA's *CollegeAIM* can help.

## How can *CollegeAlM* help?

It can be challenging to decide where to focus your prevention efforts and dollars—especially given the magnitude of the problem and the dozens of varied interventions available.

CollegeAIM provides the evidence-based information you need to compare a broad range of alcohol interventions. By rating the relative effectiveness and other characteristics of nearly 60 strategies, CollegeAIM will help you:

- Identify strategies most likely to reduce drinking and its harmful consequences,
- See how your current strategies compare with other options,
- Find new, research-based strategies to consider, and
- Select a combination of approaches that meets the needs of your students and campus.

## Where does *CollegeAlM* fit into an overall prevention planning process?

CollegeAIM, with its matrix-based tool, guide, website, and related resources, is meant to be used in conjunction with your school's own processes for anticipating and responding to the needs of your student body, campus environment, and surrounding community. You probably already apply a variation of these steps for college prevention programs:

- Assess the problems on your campus and set priorities,
- Select strategies by exploring evidence-based interventions,
- Plan how you'll carry out the chosen strategies and how you'll measure results, and
- **Take action**—implement the chosen strategies, evaluate them, and refine your program.

CollegeAIM supports the second step, select strategies. For help with the other phases, please see the Supporting Resources on page 29 and on the CollegeAIM website (see URL below).

## What's in this guide?

To help you choose an appropriate mix of effective, evidence-based interventions, *CollegeAIM* contains two matrices: one for environmental-level interventions, which target the campus community and student population as a whole, and the other for interventions that target individual students, including those in higher-risk groups, such as first-year students, student athletes, members of Greek organizations, and mandated students. Beyond rating the relative effectiveness of these strategies, the matrices provide estimates for anticipated costs, barriers to implementation, and other factors.

This guide also contains two summary tables that further define and characterize the interventions, a strategy planning worksheet, a list of the frequently asked questions answered online on the *CollegeAIM* website (see URL below), and a list of additional resources.



## About CollegeAlM

CollegeAIM is distinctive because of the number and expertise of its contributors and the breadth of research covered by its analysis.

## How was CollegeAlM created?

CollegeAIM is the product of a multi-year collaboration among college alcohol intervention researchers, college AOD and student life professionals, and NIAAA staff. Two development teams, each with three researchers, worked with NIAAA to produce CollegeAIM. The first phase involved identifying the interventions to be included in CollegeAIM and the factors by which they would be evaluated. The second phase involved analyzing the substantial research literature on college alcohol interventions and rating each of the interventions according to those factors. Ultimately, the development teams examined and rated nearly 60 interventions on their relative effectiveness, costs, barriers to implementation, and amount and quality of research, among other variables.

In the subsequent phase, an additional 10 college alcohol researchers reviewed the analysis, applied their knowledge and professional judgment, and provided detailed feedback for refinements. Through multiple rounds of reviews and revisions, this consensus process distilled the results of decades of research and hundreds of studies into a user-friendly decision tool.

For more information on the methodology, see the Frequently Asked Questions section of the *CollegeAIM* website (see URL below).

## What it is, what it's not.

CollegeAIM is grounded in a matrix-based tool that evaluates dozens of environmental- and individual-level interventions, allowing you to compare and contrast strategies across a number of criteria. Additional detailed information on each intervention is presented in summary tables, providing in-depth descriptions to help you choose wisely among many available options.

Although *CollegeAIM* covers an extensive list of strategies, it does not include every possible intervention available to colleges, nor does it outline the combination of strategies appropriate for any given school. With a few exceptions, *CollegeAIM* focuses on interventions to reduce underage and excessive alcohol consumption as a way to reduce their harmful consequences, rather than focusing directly on the consequences themselves.

## An evolving information base.

As with any effort that relies on current research, *CollegeAIM* is a work in progress and will evolve as new research findings emerge. NIAAA will conduct updates about every two years, with input from the research community.

## Why Intervene? College Drinking Is a Big Deal

While some see college drinking, even to excess, as a harmless rite of passage, it often results in adverse consequences for students and their schools.

## **Consequences for Students:**

- Academic fallout: Missed classes, poor school performance, withdrawal from courses, and dropping out
- **Health problems:** Alcohol use disorder and other alcohol-related problems, such as sleep issues and depression
- Acute risks: Impaired driving, unsafe sex, fights, sexual assaults, suicide attempts, unintentional injuries, overdoses, and death

Even students who don't drink may experience secondhand effects, such as disrupted study and sleep, or being the victim of an alcohol-related assault.

## **Consequences for Schools:**

- · Higher costs for health care and security
- Costs related to campus vandalism
- Costs related to attrition and the need for additional recruitment
- Damage to a school's reputation

College drinking is a big deal. The problem is complex and challenging, but you can reduce the likelihood of alcohol-related harm to your students. Commit to a plan using evidence-based interventions.



# About the Interventions in CollegeAlM

In the past several decades, significant progress has been made in clarifying what does and doesn't work to prevent alcohol-related problems among college students. Hundreds of studies have been published in peer-reviewed journals, providing the foundation for *CollegeAIM*.

Of the intervention strategies in *CollegeAIM*, more than half have shown some degree of effectiveness, about a third have mixed results or have too little evidence to warrant an effectiveness rating, and a few have been shown to be ineffective. All are included so you can see how your current strategies stack up; identify other, perhaps more effective options; and compare costs, barriers to implementation, and other information to help your planning and decision-making process.

## Two types of strategies: individual and environmental.

To cover the full spectrum of alcohol-related problems most campuses face, *CollegeAIM* includes 24 individual-level strategies and 36 environmental-level strategies.

Individual-level strategies are designed to change your students' knowledge, attitudes, and behaviors related to alcohol so that students drink less, take fewer risks, and experience fewer harmful consequences. Categories of individual-level interventions include education and awareness programs, cognitive-behavioral skills-based approaches, motivation and feedback-related approaches, and behavioral interventions by health professionals.

Environmental-level strategies are designed to change the campus and community environments in which student drinking occurs. Often, a major goal is to reduce the availability of alcohol, because research shows that reducing alcohol availability cuts consumption and harmful consequences on campuses as well as in the general population. Note that by focusing on single, stand-alone environmental strategies, this tool does not include multi-component environmental programs, some of which have shown success. Some strategies used in successful multi-component programs, such as party patrols, may not have had enough research to demonstrate their effectiveness when used in isolation. Even so, this strategy and others designed to reduce alcohol availability may add to the effectiveness of a comprehensive campus program.

## A mix of strategies is best.

Your greatest chance for creating a safer campus will likely come from a combination of individual- and environmental-level interventions that work together to maximize positive effects. Individual-level strategies generally aim to assist students identified as problem, at-risk, or alcohol-dependent drinkers. It is important to engage these students as early as possible. Environmental strategies seek to affect the behavior of the overall student population by addressing the factors that accommodate or promote underage and high-risk drinking. Reducing the availability of alcohol in the broader campus and community environment, for example, can have wide-ranging positive effects for all students and the campus as a whole.

In short, as you develop your action plan, remember to include strategies that target individual students, the student body as a whole, and the broader college community.

## Cut harmful consequences by reducing student drinking.

The strategies included in *CollegeAIM* focus primarily on reducing student drinking—and thereby reducing all possible harmful consequences—rather than on trying to prevent particular outcomes such as overdoses, sexual assaults, or alcohol-impaired driving. Three exceptions—amnesty policies, alcohol bystander interventions, and safe ride programs—are also included because a large number of campuses have instituted these programs. However, research has not yet established clear evidence of effectiveness for these strategies (see the matrix on page 12).



One consequence stands out in magnitude and may be a particular challenge for college AOD staff to address: alcohol-impaired driving. Alcohol-impaired driving accounts for the majority of alcohol-related deaths among college students nationwide. Your efforts to reduce student drinking will likely reduce the risk of alcohol-impaired driving as well; however, if you would like to take specific additional steps to help prevent your students from driving while impaired, please see the Frequently Asked Questions section of the *CollegeAIM* website (see URL below).

## **Campus and Community Partners Can Help**

College AOD offices are often small in staff and budget, and some interventions may be beyond their purview. You can expand your reach and impact by enlisting people in other campus departments and in your community to help reduce alcohol-related harm among your students.

Who on your campus can help? A few possibilities:

- Health and counseling centers can conduct routine alcohol screening and brief interventions with your students.
- Behavioral and social science departments, both instructors and students, can plan and execute data collection and evaluate your interventions.
- Campus security can support onsite environmental interventions and share data on alcohol-related incidents.

Some of the most effective strategies are carried out in the communities and states surrounding the campuses, such as enforcing the minimum legal drinking age. Campus leaders can be influential in bringing about off-campus environmental changes that protect students.

To achieve success off campus, partner with leaders and advocates in your community and state. Building these partnerships takes time, so you may want to make it part of a long-term plan. For models of campus-community collaboration, see the Frequently Asked Questions section of the *CollegeAlM* website (see URL below).

## How To Use CollegeAlM

Now that you have a basic understanding of *CollegeAIM* and how it can help you select evidence-based interventions, you're ready to start using it. This section offers instructions on how to work your way through the guide and make the best use of its features.

## Before using *CollegeAlM*: Briefly assess the problems on your campus.

The first step for effective intervention programming is to understand the nature of alcohol-related problems on your campus and answer the question, "What do we need to focus on now?" Consider how alcohol problems manifest themselves at your school. What do they look like? For example, are there problems with your Greek system? In your first-year residence halls? In off-campus student housing? Are there issues related to retail establishments in your neighborhood? Are there fights and vandalism at your school's athletic events? Do most problems occur at certain times of day or on certain days of the week? In short, what are the times, places, and subgroups that give rise to alcohol-related harm?

To help zero in on your school's most pressing needs, you can consult with colleagues and key stakeholders who can provide data along with informal reports. A collaborative process to assess your campus needs will yield the best results. It's important to do some research to inform your decisions, but do not get so bogged down that you lose momentum.

For information about developing a manageable system for assessing and monitoring alcohol-related problems on your campus, please see the Supporting Resources on page 29 and the Frequently Asked Questions section of the *CollegeAlM* website (see URL below).

## Consult the matrices.

Once you have outlined your school's needs, *CollegeAIM* can help you:

- Inventory and rate your current strategies: First, list basic information and notes about your current strategies on the Strategy Planning Worksheet, found on page 27 and downloadable from the CollegeAIM website. Next, check the matrices on pages 11 and 12, and then the summary tables on pages 13–24 to see how your current interventions fare in terms of effectiveness, costs (including staff time), and other criteria of interest to you. Add this information to the worksheet.
- 2) Consider alternative strategies: Next, compare your strategies to other interventions in the matrices to see if any new, effective approaches might replace some of your existing strategies or be added to your overall plan. Add key information about potential new strategies to the worksheet.

As you review your list of potential interventions, remember that no single strategy is likely to be sufficient to address college student drinking and the problems it causes. In general, using a combination of individual and environmental strategies has the best chance for success. Thus, the task is to put together a manageable mix of strategies from *CollegeAIM* that fits your school's priorities and your budget.



## Make a plan and put it into action.

With information on your school's needs and current activities, and the results from *CollegeAlM* summarized on your *Strategy Planning Worksheet*, you can outline and execute plans to implement specific strategies on your campus, measure the results, and review and refine your practices.

For additional guidance and information on these steps, see the Supporting Resources section on page 29 and on the *CollegeAIM* website (see URL below), where you'll find links to help you implement many of the strategies rated as effective in *CollegeAIM*.

Although there is no simple solution to the problem of underage and harmful college drinking, choosing your interventions, with help from *CollegeAIM*, boosts your odds of success by ensuring that you are using credible, evidence-based information to guide your decisions.



# The CollegeAlM Tool and Strategy Summary Tables

## **INDIVIDUAL-LEVEL STRATEGIES:**

Estimated Relative Effectiveness, Costs, and Barriers; Public Health Reach; Research Amount; and Primary Modality 1



|                | COSTS: Combined program and staff costs for adoption/implementation and maintenance |  |  |   |  |  |  |  |  |  |  |
|----------------|---|--|--|---|--|--|--|--|--|--|--|
|                |   | Lower costs \$   | Mid-range costs \$\$   | Higher costs \$\$\$   |  |  |  |  |  |  |  |
| ıes            |   | IND-3 Normative re-education: Electronic/mailed personalized normative feedback (PNF)—Generic/other <sup>2</sup> [##, B, •••, online/offsite]  | IND-9 Skills training, alcohol focus: Goal/intention-setting <i>alone</i> <sup>3</sup> [##, F, ••, IPI] IND-12 Skills training, alcohol plus general life skills:  | IND-17 Multi-component education-focused program (MCEFP): AlcoholEdu® for College <sup>2</sup> [#, B, ●●, online]   |  |  |  |  |  |  |  |
| outcomes       | Highor  | IND-10 Skills training, alcohol focus: Self-monitoring/self-<br>assessment <i>alone</i> <sup>3</sup> [#, F, ●•, online/offsite]  | Alcohol Skills Training Program (ASTP) <sup>2</sup> [#, F, •••, IPG]  IND-16 Brief motivational intervention (BMI): In-person—   | Interventions Delivered by Health Care Professionals  |  |  |  |  |  |  |  |
| targeted ou    | Higher effectiveness ★★★  | IND-21 Personalized feedback intervention (PFI): eCHECK UP TO GO (formerly, e-CHUG)² [#, B, ●●●, online]   | Individual (e.g., BASICS) [##, F, ••••, IPI]  IND-22 Personalized feedback intervention (PFI): Generic/other <sup>2</sup> [##, B, ••••, online]  | Strategies in which health care professionals identify and help students whose drinking patterns put them at risk for harm, or who are already experiencing alcohol-related problems: |  |  |  |  |  |  |  |
| rge            |   |  | ["", 5, , 00]  | IND-23 Screening and behavioral treatments IND-24 Medications for alcohol use disorder  |  |  |  |  |  |  |  |
| achieving tar  |   |  |  | These approaches can reduce harmful drinking, according to studies conducted mainly in general adult populations (ages 18–65).  |  |  |  |  |  |  |  |
|                |   |  | IND-8 Skills training, alcohol focus: Expectancy challenge interventions (ECI)—Experiential [##, F, ●●●, IPG]  | The differences in research populations, along with wide variations in costs and barriers across campuses, precluded ratings  |  |  |  |  |  |  |  |
| in ac          | Moderate effectiveness  |  | IND-13 Skills training, alcohol plus general life skills—Parent-based alcohol communication training [#, F, ●●, offsite]   | relative to other strategies. See page 18 for more information  |  |  |  |  |  |  |  |
|                | **  |  | IND-14 Skills training, alcohol plus general life skills or general life skills only: Generic/other² [#, F, ••••, IPG]   | Legend  |  |  |  |  |  |  |  |
| Success        |   |  | IND-15 Brief motivational intervention (BMI): In-person—<br>Group [##, F, ••, IPG]   | Effectiveness rating, Public health reach:  based on percentage B = Broad   |  |  |  |  |  |  |  |
|                | Lower effectiveness   | IND-2 Normative re-education: Electronic/mailed personalized normative feedback (PNF) Event-specific prevention  | IND-4 Normative re-education: In-person norms clarification alone <sup>3</sup> [#, F, ••, IPG]   | of studies reporting any F = Focused positive effect:   |  |  |  |  |  |  |  |
| VES            | *   | (21st birthday cards) [#, B, ●●, online/offsite]   | 40.00 [11,11, 11 0]  | *** = 75% or more Research amount: $ \bullet \bullet \bullet \bullet = 11 + \text{studies} $  |  |  |  |  |  |  |  |
| EFFECTIVENESS: | Not<br>effective<br>X   | IND-7 Skills training, alcohol focus: Expectancy challenge intervention (ECI)—By proxy/didactic/discussion alone³ [#, F, ●●, IPG]  | IND-1 Information/knowledge/education <i>alone</i> <sup>3</sup> [#, B, ••••, IPG] IND-5 Values clarification <i>alone</i> <sup>3</sup> [#, F, ••, IPG]   | * ★ = 50% to 74%  ★ = 25% to 49%  X = Less than 25%  *•• = 7 to 10 studies  •• = 4 to 6 studies  • = 3 or fewer  studies  |  |  |  |  |  |  |  |
| EFFE(          | Too few studies to rate effectiveness   | IND-11 Skills training, alcohol plus general life skills:     Alcohol 101 Plus <sup>™2</sup> [#, B, •, online]  IND-19 Personalized feedback intervention (PFI):     CheckYourDrinking (beta 1.0 version) <sup>2</sup> [#, B, •, online]  IND-20 Personalized feedback intervention (PFI): College     Drinker's Check-up <sup>2</sup> [#, B, •, online] | <ul> <li>IND-6 Skills training, alcohol focus: Blood alcohol concentration feedback <i>alone</i> <sup>3</sup> [#, F, ●, IPI]</li> <li>IND-18 Multi-component education-focused programs (MCEFP): Miscellaneous <sup>2</sup> [#, B, ●, online]</li> </ul> | Barriers: Primary modality:  ### = Higher IPI = In-person individual  ## = Moderate IPG = In-person group  # = Lower Online  Offsite  |  |  |  |  |  |  |  |

See brief descriptions and additional ratings for each individual-level strategy on the summary table beginning on page 13.

<sup>&</sup>lt;sup>1</sup> **Effectiveness** ratings are based on the percentage of studies reporting any positive outcomes (see legend). Strategies with three or fewer studies were not rated for effectiveness due to the limited data on which to base a conclusion. **Cost** ratings are based on the relative program and staff costs for adoption, implementation, and maintenance of a strategy. Actual costs will vary by institution, depending on size, existing programs, and other campus and community factors. **Barriers** to implementing a strategy include cost and opposition, among other factors. **Public health reach** refers to the number of students that a strategy affects. Strategies with a broad reach affect all students or a large group of students (e.g., all underage students); strategies with a focused reach affect individuals or small groups of students (e.g., sanctioned students). **Research amount** refers to the number of randomized controlled trials (RCT) of a strategy (see legend).

<sup>&</sup>lt;sup>2</sup> Strategies are listed by **brand name** (e.g., CheckYourDrinking) if they were evaluated by at least two RCTs; strategies labeled **generic/other** have similar components and were not identified by name in the research or were evaluated by only one RCT; strategies labeled **miscellaneous** have the same approach but very different components.

<sup>&</sup>lt;sup>3</sup> Although this approach is a component of larger, effective programs such as BASICS and ASTP, it is evaluated here as a stand-alone intervention.

## **ENVIRONMENTAL-LEVEL STRATEGIES:**





|   |   | COSTS: Combined pr<br>Lower costs \$  | rogram and staff costs for adoption/implementar<br>Mid-range costs \$\$  | tion and maintenance Higher costs \$\$\$  |  |  |  |  |
|---|---|---|--|---|--|--|--|--|
| EFFECTIVENESS: Success in achieving targeted outcomes | Higher effectiveness ★★★  | ENV-16 Restrict happy hours/price promotions [###, B, •••] ENV-21 Retain ban on Sunday sales (where applicable) [##, B, ••••] ENV-22 Retain age-21 drinking age [##, B, ••••]   | ENV-11 Enforce age-21 drinking age (e.g., compliance checks) [##, B, ••••] ENV-23 Increase alcohol tax [###, B, ••••]  | Trigitor code: \$4\$  |  |  |  |  |
|   | Moderate<br>effectiveness<br>★★   | ENV-17 Retain or enact restrictions on hours of alcohol sales [##, B, ●●●●] ENV-34 Enact social host provision laws [##, B, ●●●]  | ENV-3 Prohibit alcohol use/sales at campus sporting events [##, F, ••••]  ENV-25 Enact dram shop liability laws: Sales to intoxicated [##, B, ••••]  ENV-26 Enact dram shop liability laws: Sales to underage [##, B, ••••]  ENV-30 Limit number/density of alcohol establishments [###, B, ••••]  ENV-35 Retain state-run alcohol retail stores (where applicable) [###, B, ••••] | ENV-31 Enact responsible beverage service training laws [##, B, ••••]   |  |  |  |  |
|   | Lower<br>effectiveness  |   | ENV-1 Establish an alcohol-free campus [###, B, •••] ENV-7 Conduct campus-wide social norms campaign² [#, B, ••••]   | <ul> <li>ENV-12 Restrict alcohol sponsorship and advertising [##, B, •••]</li> <li>ENV-14 Implement beverage service training programs: Sales to intoxicated [C = #, S/L = ##, B, •••]</li> <li>ENV-15 Implement beverage service training programs: Sales to underage [C = #, S/L = ##, B, ••••]</li> <li>ENV-28 Enact keg registration laws [##, B, ••••]</li> </ul>  |  |  |  |  |
|   | Too few robust studies to rate effectiveness —or mixed results  | ENV-4 Prohibit alcohol use/service at campus social events [##, B, 0] ENV-5 Establish amnesty policies² [#, F, •••] ENV-8 Require Friday morning classes² [#, B, ••] ENV-9 Establish standards for alcohol service at campus social events [#, B, •••] ENV-10 Establish substance-free residence halls² [#, F, ••] ENV-13 Prohibit beer kegs [C = #, S/L = ###, B, •••] ENV-18 Establish minimum age requirements to serve/sell alcohol [##, B, ••••] ENV-19 Implement party patrols [##, B, •••] ENV-24 Increase cost of alcohol license [##, B, 0] ENV-27 Prohibit home delivery of alcohol [##, B, ••] ENV-29 Enact noisy assembly laws [##, B, 0] | <b>ENV-6</b> Implement bystander interventions <sup>2</sup> [#, F, 0]  | ENV-2 Require alcohol-free programming <sup>2</sup> [#, F, ••] ENV-20 Implement safe-rides program <sup>2</sup> [##, F, ••] ENV-32 Conduct shoulder tap campaigns [##, B, ••] ENV-33 Enact social host property laws [##, B, 0] ENV-36 Require unique design for state ID cards for age < 21 [##, B, 0]  Legend  Barriers: ### = Higher ### = Higher ### = Moderate  Research amount/quality:  •••• = 5 or more longitudinal studies •••• = 5 or more cross-sectional |  |  |  |  |
| relation and of streac                                | See brief descriptions and additional ratings for each environmental-level strategy on the summary table beginning on page 19.  1 Effectiveness ratings are based on estimated success in achieving targeted outcomes. Cost ratings are based on a consensus among research team members of the relative program and staff costs for adoption, implementation, and maintenance of a strategy. Actual costs will vary by institution, depending on size, existing programs, and other campus and community factors. Barriers to implementing a strategy include cost and opposition, among other factors. Public health reach refers to the number of students that a strategy affects. Strategies with a broad reach affect all students or a large group of students (e.g., all underage students); strategies with a focused reach affect individuals or small groups of students (e.g., sanctioned students). Research amount/quality refers to the number and design of studies (see legend).  2 Strategy does not seek to reduce alcohol availability, one of the most effective ways to decrease alcohol use and its consequences.  # = Lower C = Barriers at college level S/L = Barriers at the state/local level Public health reach:  B = Broad F = Focused  * O = No studies  * O = No studies |   |  |   |  |  |  |  |

## INDIVIDUAL-LEVEL STRATEGIES SUMMARY TABLE

Individual-level strategies aim to produce changes in attitudes or behaviors related to alcohol use rather than the environments in which alcohol use occurs. Expected outcomes, in general, are that a strategy may decrease an individual's alcohol use (e.g., frequency, quantity, or blood alcohol concentration) and/or alcohol-related risk-taking behaviors, thereby reducing harmful consequences. All studies used college students as the research population except the behavioral interventions by health professionals, which used a general population. Potential resources to help you implement many strategies rated effective by *CollegeAIM* can be found online (see URL below).

| Matrix<br>number | Strategy   | Description  | Effective-<br>ness | Cost | Barriers | Research<br>amount |
|------------------|--|--|--------------------|------|----------|--------------------|
|                  |  | EDUCATION/AWARENESS PROGRAMS   |                    |      |          |                    |
| IND-1            | Information/knowledge/education alone  | Information/knowledge/education programs solely provide students with alcohol-related education (e.g., how alcohol is processed by the body, potential consequences of alcohol misuse), without any alcohol-specific skills training.  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups, or all students  • Primary modality: In-person group  • Duration of effects: No short- or long-term effects  | X                  | \$\$ | #        | ••••               |
| IND-2            | Normative re-education: Electronic/<br>mailed personalized normative feedback<br>(PNF)—Event-specific prevention<br>(21st birthday cards)                            | Under this event-specific prevention PNF strategy, students receive a birthday card on their 21 <sup>st</sup> birthday, warning them against excessive celebratory drinking.  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups, or all students  • Primary modality: Online/offsite  • Duration of effects: Mixed short-term (< 6 months) effects; long-term (≥ 6 months) effects not assessed  | *                  | \$   | #        | ••                 |
| IND-3            | Normative re-education: Electronic/mailed personalized normative feedback (PNF)—Generic/other  See FAQs for more information on implementing a generic PNF strategy. | PNF programs provide all students with personalized information about their alcohol use in comparison with actual use by their peers. This information is represented graphically (with charts and text, showing personal behavior juxtaposed with normative information). Delivery of PNF interventions is done without the involvement of a facilitator, and students are allowed to consider this information on their own.  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups, or all students  • Primary modality: Online/offsite  • Duration of effects: Short-term effects (up to 5 months); long-term (≥ 6 months) effects not assessed              | ***                | \$   | ##       | •••                |
| IND-4            | Normative re-education: In-person norms clarification <i>alone</i>   | Globally, normative re-education programs are designed to provide students with accurate information about peer alcohol use and consequences and to modify their attitudes about the acceptability of their excessive alcohol consumption to their peers and parents. Normative re-education programs can be delivered in-person (typically in group format) or remotely via the web or by mail as personalized graphic feedback.  Staffing expertise needed: Coordinator  Target population: Individuals, specific groups, or all students  Primary modality: In-person group  Duration of effects: Mixed short-term (< 6 months) effects; most studies did not assess long-term (≥ 6 months) effects | *                  | \$\$ | #        | ••                 |

| Č | 3 |  |
|---|---|--|
| c |   |  |
| d | ט |  |
| ē | 5 |  |
| d | Ь |  |
|   | 1 |  |

| Effectiveness:  |
|---|
| $\star\star=$ Higher, $\star\star=$ Moderate, $\star=$ Lower, |
| X = Not effective, ? = Too few studies to rate                |
| effectiveness   |
|   |

\$\$\$ = Higher, \$\$ = Mid-range, \$ = Lower

### Barriers:

### = Higher
## = Moderate
# = Lower
C = Barriers at college level

### Research amount:

•••• = 11+ studies ••• = 7 to 10 studies •• = 4 to 6 studies

• = 3 or fewer studies

## Staffing expertise:

Policy advocate = Advocacy or community organization; understanding of political strategy

Coordinator = Program development and management

Health professional = Specific expertise/training in delivering a health program

| Matrix<br>number | Strategy   | Description  | Effective-<br>ness | Cost | Barriers | Research<br>amount |
|------------------|--|--|--------------------|------|----------|--------------------|
|                  |  | EDUCATION/AWARENESS PROGRAMS (CONT.)   |                    |      |          |                    |
| IND-5            | Values clarification alone   | Values clarification programs are designed to help students evaluate their values and goals and incorporate responsible decision-making about alcohol use into these values and goals.  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups, or all students  • Primary modality: In-person group  • Duration of effects: No short- or long-term effects   | X                  | \$\$ | #        | ••                 |
|                  |  | COGNITIVE-BEHAVIORAL SKILLS-BASED APPROACHES   |                    |      |          |                    |
| IND-6            | Skills training, alcohol focus: Blood alcohol concentration (BAC) feedback alone                           | BAC feedback programs involve presenting students with their actual BAC, usually based on breath samples, during or following an evening of drinking. These programs challenge students' perceptions of their level of intoxication based on an objective BAC measurement or provide an incentive for students to limit their alcohol consumption (e.g., remaining under a certain BAC at a social event).  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups  • Primary modality: In-person individual  • Duration of effects: Mixed short-term (< 6 months) effects; long-term (≥ 6 months) effects not assessed | ?                  | \$\$ | #        | •                  |
| IND-7            | Skills training, alcohol focus: Expectancy challenge intervention (ECI)—By proxy/didactic/discussion alone | ECIs target positive beliefs about the outcomes of alcohol use, highlighting through education or direct experience how many behaviors associated with alcohol use are driven by cognitions rather than pharmacology. Education on alcohol placebo effects is provided during in-person discussion or lecture or via video as a means of challenging students' positive beliefs about the outcomes of alcohol use.  • Staffing expertise needed: Coordinator  • Target population: Individuals, underage, specific groups, or all students  • Primary modality: In-person group  • Duration of effects: No short- or long-term effects                       | X                  | \$   | #        | ••                 |
| IND-8            | Skills training, alcohol focus: Expectancy challenge intervention (ECI)—Experiential                       | Experiential ECIs assign students to receive alcohol or a placebo, facilitate interaction in a social environment, and then ask students to guess who has or has not imbibed alcohol as a means of challenging students' positive beliefs about the outcomes of alcohol use. Education on alcohol placebo effects is also provided.  • Staffing expertise needed: Coordinator  • Target population: Individuals or specific groups  • Primary modality: In-person group  • Duration of effects: Short-term (< 6 months) and long-term (≥ 6 months) effects   | **                 | \$\$ | ##       | •••                |
| IND-9            | Skills training, alcohol focus: Goal/<br>intention-setting alone   | Under this approach, students identified as having alcohol use problems set goals for limiting their alcohol use, based on their current drinking behaviors, other goals, and values.  • Staffing expertise needed: Health professional and coordinator  • Target population: Individuals, specific groups  • Primary modality: In-person individual  • Duration of effects: Short-term (< 6 months) but not long-term (≥ 6 months) effects  | ***                | \$\$ | ##       | ••                 |

| Matrix<br>number | Strategy   | Description  | Effective-<br>ness | Cost | Barriers | Research<br>amount |
|------------------|--|--|--------------------|------|----------|--------------------|
|                  |  | COGNITIVE-BEHAVIORAL SKILLS-BASED APPROACHES (CONT.)   |                    |      |          |                    |
| IND-10           | Skills training, alcohol focus:<br>Self-monitoring/self-assessment alone                           | Self-monitoring/self-assessment approaches involve repeated assessment (e.g., daily diary, multiple longitudinal assessment spread out over weeks, months, or years) without any other intervention.  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups, or all students  • Primary modality: Online/offsite  • Duration of effects: Short-term (< 6 months) and long-term (≥ 6 months) effects  | ***                | \$   | #        | ••                 |
| IND-11           | Skills training, alcohol plus general life skills: Alcohol 101 Plus™                               | Alcohol 101 Plus™ is a web-based modification of the earlier CD-ROM-based Alcohol 101 program. It provides alcohol education and skills training using a "virtual campus," modeling potential drinking situations and discussing possible consequences and alternatives. Personalized blood alcohol concentration (BAC) calculations also are provided. The program is free to all students and educators.  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups, or all students  • Primary modality: Online  • Duration of effects: Mixed short-term (up to 1 month) effects; no long-term (≥ 6 months) effects                         | ?                  | \$   | #        | ٠                  |
| IND-12           | Skills training, alcohol plus general life skills: Alcohol Skills Training Program (ASTP)          | ASTP is a multicomponent alcohol skills training program for students at risk of developing alcohol use problems. The program provides information about addiction and offers exercises and training to help students identify personal drinking cues, develop alcohol refusal skills, and manage stress. ASTP consists of eight 90-minute sessions; however, programs conducted in as few as two sessions have been evaluated.  • Staffing expertise needed: Health professional and coordinator  • Target population: Individuals or specific groups  • Primary modality: In-person group  • Duration of effects: Short-term (< 6 months) and long-term (up to 1 year) effects | ***                | \$\$ | #        | •••                |
| IND-13           | Skills training, alcohol plus general life skills: Parent-based alcohol communication training     | Parent-based alcohol communication training is a campus-sponsored program for parents of students, particularly incoming freshmen, to train parents to effectively talk with their children about alcohol use, avoidance, and consequences.  • Staffing expertise needed: Coordinator  • Target population: Individuals, underage, specific groups, or all students  • Primary modality: Offsite  • Duration of effects: Short-term (< 6 months) and long-term (≥ 6 months) effects  | **                 | \$\$ | #        | ••                 |
| IND-14           | Skills training, alcohol plus general life<br>skills or general life skills only:<br>Generic/other | These programs combine training in skills aimed at reducing alcohol use (e.g., drink refusal and moderation of alcohol use) with training in general life skills (e.g., stress management, coping, and lifestyle balance), or they provide training only in general life skills as a means of reducing alcohol use.  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups  • Primary modality: In-person group  • Duration of effects: Short-term (< 6 months) and long-term (up to 1 year) effects   | **                 | \$\$ | #        | ••••               |

| Matrix<br>number | Strategy   | Description   | Effective-<br>ness | Cost   | Barriers | Research<br>amount |
|------------------|--|---|--------------------|--------|----------|--------------------|
|                  |  | MOTIVATIONAL/FEEDBACK-BASED APPROACHES  |                    |        |          |                    |
| IND-15           | Brief motivational intervention (BMI):<br>In-person—Group                  | In-person group BMI combines a brief intervention with motivational interviewing in a group (rather than in a one-on-one setting). BMI emphasizes personal responsibility and self-efficacy of participants, offering them personalized feedback on their alcohol use, risks, expectancies, perceptions of social norms, and options for reducing problems and consequences. A trained facilitator guides the group discussion. Goals for behavioral change are set by participants.  • Staffing expertise needed: Health professional and coordinator  • Target population: Individuals or specific groups  • Primary modality: In-person group  • Duration of effects: Short-term (< 6 months) and long-term (≥ 6 months) effects   | **                 | \$\$   | ##       | ••                 |
| IND-16           | Brief motivational intervention (BMI):<br>In-person—Individual             | BMI combines a brief intervention with motivational interviewing. BMI emphasizes personal responsibility and self-efficacy of participants, offering them personalized feedback on their alcohol use, risks, expectancies, perceptions of social norms, and options for reducing problems and consequences. Discussions are guided by a trained facilitator. Goals for behavioral change are set by participants.   | ***                | \$\$   | ##       | ••••               |
|                  |  | One such BMI, which is the model after which most BMIs are patterned, is the Brief Alcohol Screening and Intervention for College Students (BASICS). BASICS involves initial screening to identify high-risk drinkers, subsequent baseline assessment to generate personalized feedback, and then a one-on-one meeting with the trained facilitator to review the feedback. In the original studies of BASICS, baseline assessment was completed in-person; participants were asked to self-monitor drinking for 2 weeks, then return for a second session to review their personalized feedback. More recent research has eliminated the first in-person meeting, opting instead to complete baseline assessment via the web.  • Staffing expertise needed: Health professional and coordinator  • Target population: Individuals or specific groups  • Primary modality: In-person individual  • Duration of effects: Short-term (< 6 months) and long-term (up to 4 years) effects |                    |        |          |                    |
| IND-17           | Multi-component education-focused program (MCEFP): AlcoholEdu® for College | AlcoholEdu® for College is a two-part, online program providing personalized feedback along with education around alcohol use. The first part of the program is typically completed in the summer before freshmen arrive on campus, with the second part being completed during the fall. Students must complete knowledge-based quizzes in order to complete the course. Cost of the program is based on first-year enrollment size. This program also may target individuals and all students.  • Staffing expertise needed: Coordinator  • Target population: Individuals, specific groups, or all students  • Primary modality: Online  • Duration of effects: Short-term (up to 3 months) effects; long-term (≥ 6 months) effects not assessed   | ***                | \$\$\$ | #        | ••                 |
| IND-18           | Multi-component education-focused programs (MCEFP): Miscellaneous          | MCEFP approaches target alcohol misuse by teaching students an array of alcohol-related skills (e.g., drink refusal, monitoring alcohol use, spacing drinks, advanced planning) and providing associated education to support skill use. Programs in this category not identified by name are highly variable in content and have not been sufficiently studied to draw strong conclusions about any individual program.  • Staffing expertise needed: Coordinator  • Target population: Individual, specific groups, or all students  • Primary modality: Online  • Duration of effects: No short-term (< 6 months) effects; most programs not assessed for long-term (≥ 6 months) effects   | ?                  | \$\$   | #        | •                  |

| Matrix<br>number | Strategy   | Description  | Effective-<br>ness | Cost | Barriers | Research<br>amount |
|------------------|--|--|--------------------|------|----------|--------------------|
| <u> </u>         |  | MOTIVATIONAL/FEEDBACK-BASED APPROACHES (CONT.)   |                    |      |          |                    |
| IND-19           | Personalized feedback intervention (PFI): CheckYourDrinking (beta 1.0 version)   | CheckYourDrinking is a web-based 18-question survey on personal drinking habits that provides survey takers with individualized feedback on their risk of alcohol-related diseases. Users can email results to themselves or their health care professional. The program is free.  • Staffing expertise needed: Coordinator • Target population: Individuals, specific groups, or all students • Primary modality: Online • Duration of effects: Short-term (< 6 months) effects; long-term (≥ 6 months) effects not assessed  | ?                  | \$   | #        | •                  |
| IND-20           | Personalized feedback intervention (PFI):<br>College Drinker's Check-up  | College Drinker's Check-up is a single-session, web-based program for students who drink heavily and is an adaptation of the well-established in-person Drinker's Check-Up, originally developed for heavy-drinking adults. Students receive personalized feedback on the quantity and frequency of their alcohol use in comparison with same-gender college peers. Students also receive blood alcohol content feedback. College Drinker's Check-up is a commercial product. Campuses pay a one-time cost based on size: \$2,500 for smaller institutions (<15,000 students) and \$4,500 for larger institutions.  • Staffing expertise needed: Coordinator  • Target population: Individuals or specific groups  • Primary modality: Online  • Duration of effects: Short-term (< 6 months) and long-term (up to 1 year) effects | ?                  | \$   | #        | •                  |
| IND-21           | Personalized feedback intervention (PFI):<br>eCHECKUP TO GO (formerly, e-CHUG)   | Alcohol eCHECKUP TO GO is a web-based survey that provides students with personalized feedback about their drinking patterns and how their alcohol use might affect their health and personal goals. The program has a special focus on two high-risk groups: first-year students and athletes. eCHECKUP TO GO is a commercial program. Campuses pay an annual subscription fee of about \$1,000 for unlimited use of a customized program.  • Staffing expertise needed: Coordinator  • Target population: Individuals or specific groups  • Primary modality: Online  • Duration of effects: Short-term (< 6 months) and long-term (up to 1 year) effects  | ***                | \$   | #        | •••                |
| IND-22           | Personalized feedback intervention (PFI): Generic/other  See FAQs for more information on implementing a generic PFI strategy. | PFI programs use a web-based assessment to generate graphic personalized feedback about students' alcohol use, risks, expectancies, perceptions of social norms, and drinking motives. Feedback is delivered electronically or by mail and is not discussed with a trained facilitator.  • Staffing expertise needed: Coordinator  • Target population: Individuals, underage, specific groups, or all students  • Primary modality: Online  • Duration of effects: Short-term (< 6 months) and long-term (up to 1 year) effects   | ***                | \$\$ | ##       | ••••               |

## INTERVENTIONS DELIVERED BY HEALTH CARE PROFESSIONALS

The approaches listed below, which are delivered by health care professionals, can reduce harmful drinking, according to studies conducted mainly in general adult populations (ages 18–65). These strategies are not rated relative to other individual-level strategies in *CollegeAlM* because of differences in research populations, along with wide variations in costs and barriers to providing these services across campuses.

These interventions are important for students whose drinking patterns put them at risk for harm, or who are already experiencing alcohol-related problems. Health care professionals in your campus health and counseling centers can help identify and assist these students, or residence hall or security staff members may bring students with alcohol-related conduct violations to your attention.

For resources to support you in providing these and other interventions, or referrals when needed, see the CollegeAIM URL below.

| IND-23 | Interventions delivered by health care professionals: Screening and behavioral treatments  | Screening and brief intervention: The U.S. Preventive Services Task Force (USPSTF) recommends that primary care clinicians (1) conduct alcohol screening in adults ages 18 years or older and (2) provide brief behavioral counseling interventions for the full range of unhealthy drinking behaviors, from risky drinking to alcohol dependence. The USPSTF concludes that brief behavioral counseling interventions reduce heavy drinking episodes and increase adherence to recommended drinking limits.     |
|--------|--|--|
|        |  | Additional behavioral treatments: For some students, brief counseling sessions may not be sufficient for resolving drinking problems. In these cases, more intensive behavioral treatments can be beneficial, including cognitive-behavioral therapy and motivational enhancement therapy. Ultimately, choosing to get treatment may be more important than the approach used, provided it avoids heavy confrontation and incorporates empathy, motivational support, and a focus on changing drinking behavior. |
| IND-24 | Interventions delivered by health care professionals: Medications for alcohol use disorder | Medications for alcohol use disorder: Three medications have been approved by the Food and Drug Administration to help people cut back or stop drinking and avoid relapse: naltrexone (in two forms, oral and extended-release injection), acamprosate, and disulfiram. They are not addictive, and can be used alone, but often are used in combination with counseling.  |

## **ENVIRONMENTAL-LEVEL STRATEGIES SUMMARY TABLE**

**Environmental-level strategies** aim to change the alcohol use environment in the campus, community, or both, and thus can affect the student body as a whole or in large subgroups such as those under age 21. Most of the environmental-level strategies in this guide seek to reduce alcohol availability, one of the most effective ways to decrease alcohol use and related problems. A few strategies listed below try to reduce alcohol-related harm directly without restricting availability, and are included because colleges commonly use them. This guide isolated these strategies for assessment, and some may not be effective if used alone. Still, they may be useful parts of a multi-strategy effort. Potential resources to help you implement many strategies rated effective by *CollegeAlM* can be found online (see URL below).

| Matrix<br>number | Strategy   | Description  | Effective-<br>ness | Cost   | Barriers | amount/<br>quality |
|------------------|--|--|--------------------|--------|----------|--------------------|
|                  |  | CAMPUS ONLY  |                    |        |          |                    |
| ENV-1            | Establish an <b>alcohol-free campus</b>              | Under this strategy, a campus bans the sale, distribution, or consumption of alcohol on campus property.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College  | *                  | \$\$   | ###      | •••                |
| ENV-2            | Require alcohol-free programming                     | Under this strategy, a campus hosts alcohol-free events to provide students with social alternatives to parties and bars where alcohol is being served.  • Staffing expertise required: Coordinator  • Target population: All students  • Research population: College   | ?                  | \$\$\$ | #        | ••                 |
| ENV-3            | Prohibit alcohol use/sales at campus sporting events | Under this strategy, a campus bans the sale and consumption of alcohol at sporting events.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College  | **                 | \$\$   | ##       | ••••               |
| ENV-4            | Prohibit alcohol use/service at campus social events | Under this strategy, a campus bans the sale and consumption of alcoholic beverages at social events held on campus property.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: Not assessed   | ?                  | \$     | ##       | 0                  |
| ENV-5            | Establish amnesty policies                           | Under an amnesty policy, a campus does not impose sanctions on a student who seeks help for another student in danger of serious harm or death from alcohol use, even if the help seeker has been drinking underage or has provided the alcohol to an underage peer. Amnesty policies also may be known as medical amnesty or Good Samaritan policies, and some exist at the state level.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College | ?                  | \$     | #        | •••                |

## Legend

### Effectiveness:

- $\star\star$  = Higher,  $\star\star$  = Moderate,  $\star$  = Lower,
- ? = Too few robust studies to rate effectiveness —or mixed results

### Cost:

- \$\$ = Higher
- \$\$ = Mid-range
- \$ = Lower

### **Barriers:**

- ### = Higher
- ## = Moderate
- # = Lower
- C = Barriers at college level
- S/L = Barriers at state/local level

### **Research amount/quality:**

- •••• = 5 or more longitudinal studies
- ••• = 5 or more cross-sectional studies or 1 to 4 longitudinal studies
- •• = 2 to 4 studies but no longitudinal studies
- = 1 study that is not longitudinal
- 0 = No studies

### Staffing expertise:

Policy advocate = Advocacy or community organizing; understanding of political strategy

Research

Coordinator = Program development and management

Health professional = Specific expertise/training in delivering a health program

| Matrix<br>number | Strategy  | Description  | Effective-<br>ness | Cost   | Barriers | Research<br>amount/<br>quality |
|------------------|---|--|--------------------|--------|----------|--------------------------------|
|                  |   | CAMPUS ONLY (CONT.)  |                    |        |          |                                |
| ENV-6            | Implement bystander interventions                               | In this context, bystander intervention programs offered by campuses are designed to increase a student's capacity and willingness to intervene when another student may be in danger of harming him/herself or another person due to alcohol use. Bystander intervention programs also are used to reduce consequences of drug use, sexual assault, and other problems.  • Staffing expertise required: Coordinator  • Target population: All students  • Research population: Not assessed   | ?                  | \$\$   | #        | 0                              |
| ENV-7            | Conduct campus-wide social norms campaign                       | Under this strategy, a campus conducts a campus-wide awareness campaign that informs students about actual quantity and frequency of alcohol use among their fellow students, with the intent of changing their perception of what is normal or acceptable.  • Staffing expertise required: Coordinator  • Target population: All students  • Research population: College   | *                  | \$\$   | #        | ••••                           |
| ENV-8            | Require Friday morning classes                                  | Under this strategy, a campus requires classes on Friday mornings to discourage excessive alcohol use by students on Thursday evenings.  • Staffing expertise required: Coordinator  • Target population: All students  • Research population: College   | ?                  | \$     | #        | ••                             |
| ENV-9            | Establish standards for alcohol service at campus social events | Under this strategy, a campus establishes policies that set certain constraints on alcohol sales, such as a limited number of alcoholic beverages per person, availability of food and non-alcoholic beverages, no self-service, and required beverage service training.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College  | ?                  | \$     | #        | •••                            |
| ENV-10           | Establish substance-free residence halls                        | Under this strategy, a campus bans the possession and consumption of all substances within its residence halls.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College   | ?                  | \$     | #        | ••                             |
|                  |   | CAMPUS OR COMMUNITY-BASED  |                    |        |          |                                |
| ENV-11           | Enforce <b>age-21 drinking age</b> (e.g., compliance checks)    | Under this strategy, campuses and local and state government support and implement strong enforcement of the existing age-21 minimum legal drinking age. (Compliance checks are an approach regulated at the local or state level whereby undercover youth, supervised by law enforcement or licensing authorities, attempt to purchase alcohol. When a violation occurs, a penalty is applied to the server and/or the license holder, depending on local or state law.)  • Staffing expertise required: Policy advocate  • Target population: Underage  • Research population: General | ***                | \$\$   | ##       | ••••                           |
| ENV-12           | Restrict alcohol sponsorship and advertising                    | Under this strategy, a campus or local or state government establishes policies that restrict or prohibit alcohol sponsorship and/or advertising of alcoholic beverages, particularly where such sponsorship or advertising exposes young people to alcohol messages, such as on college campuses, at rock concerts, or at athletic events.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: General   | *                  | \$\$\$ | ##       | •••                            |

| Matrix<br>number | Strategy   | Description   | Effective-<br>ness | Cost   | Barriers            | Research<br>amount/<br>quality |
|------------------|--|---|--------------------|--------|---------------------|--------------------------------|
|                  |  | CAMPUS OR COMMUNITY-BASED (CONT.)   |                    |        |                     |                                |
| ENV-13           | Prohibit beer kegs   | A ban on beer kegs is an approach taken by a campus or local or state government in an effort to decrease the amount of alcohol at parties. Campus bans may apply to specific settings, such as athletic events or tailgate parties.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College   | ?                  | \$     | C = #,<br>S/L = ### | •••                            |
| ENV-14           | Implement beverage service training programs: Sales to intoxicated | This type of program can be implemented at the campus, community, or state level to require training of those who sell or serve alcohol to recognize signs of intoxication, slow the service of alcohol, and cut off individuals who are obviously intoxicated. Note: Rating based on studies of programs in a few establishments.  • Staffing expertise required: Coordinator  • Target population: All students  • Research population: General   | *                  | \$\$\$ | C = #,<br>S/L = ##  | •••                            |
| ENV-15           | Implement beverage service training programs: Sales to underage    | This type of program can be implemented at the campus, community, or state level to require training of those who sell or serve alcohol to verify the age of young customers, recognize false identification documents, and refuse sales to those under the legal drinking age. Note: Rating based on studies of programs in a few establishments.  • Staffing expertise required: Coordinator  • Target population: Underage students  • Research population: General  | *                  | \$\$\$ | C = #,<br>S/L = ##  | ••••                           |
| ENV-16           | Restrict happy hours/price promotions                              | Under this strategy, a campus or local or state government prohibits or restricts drink specials, such as the sale of two alcoholic beverages for the price of one, that encourage customers to drink more than they might otherwise.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College, general   | ***                | \$     | ###                 | •••                            |
| ENV-17           | Retain or enact restrictions on hours of alcohol sales             | Under this strategy, campuses or local and state governments retain or enact policies limiting the hours during which alcohol may be sold legally.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: General   | **                 | \$     | ##                  | ••••                           |
| ENV-18           | Establish minimum age requirements to serve/sell alcohol           | Under this strategy, a campus or local or state government establishes requirements specifying how old someone must be to serve or sell alcohol. Requirements may differ by type of alcohol establishment (e.g., off- vs. on-premise establishments and type of alcohol—beer, wine, or spirits) and may include exceptions under certain circumstances.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: General  | ?                  | \$     | ##                  | ••••                           |
| ENV-19           | Implement party patrols  | Party patrols are a community-based approach in which campus or local teams, made up of police and sometimes volunteers, visit locations where there have been reports and complaints about noisy party activity or visit addresses associated with keg registrations to determine whether underage drinking is taking place. If illegal activity is occurring, the police cite any adults who appear to have facilitated underage drinking and cite those drinking underage.  • Staffing expertise required: Policy advocate  • Target population: Underage students  • Research population: College | ?                  | \$     | ##                  | •••                            |

| Matrix<br>number | Strategy   | Strategy Description  |        |      | Barriers | Research<br>amount/<br>quality |
|------------------|--|---|--------|------|----------|--------------------------------|
|                  |  | CAMPUS OR COMMUNITY-BASED (CONT.)   | ,      |      | 1        |                                |
| ENV-20           | Implement safe-rides program                         | ?   | \$\$\$ | ##   | ••       |                                |
| ENV-21           | Retain ban on <b>Sunday sales</b> (where applicable) | Under this strategy, campuses and local and state governments support existing bans on Sunday sales of alcohol for offsite consumption. (No state bans such sales for onsite consumption.)  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: General   | ***    | \$   | ##       | ••••                           |
|                  |  | COMMUNITY-BASED ONLY  |        |      | ·        | 1                              |
| ENV-22           | Retain <b>age-21 drinking age</b>                    | All states, the District of Columbia, and Guam currently prohibit anyone under age 21 from possessing alcoholic beverages; most states also prohibit those under age 21 from purchasing and consuming alcoholic beverages. Under this strategy, campuses and local and state governments support continuation of the age-21 minimum legal drinking age due to its effectiveness in reducing underage drinking consequences.  Staffing expertise required: Policy advocate Target population: Underage students Research population: General | ***    | \$   | ##       | ••••                           |
| ENV-23           | Increase alcohol tax                                 | Under this strategy, a state or local government increases the tax on the sale of alcohol, thereby raising the cost of alcohol consumption and the affordability of excessive drinking.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College, general   | ***    | \$\$ | ###      | ••••                           |
| ENV-24           | Increase cost of alcohol license                     | Under this strategy, a state or local government increases the cost of an alcohol license, thereby increasing the cost of operating an alcohol establishment and potentially increasing the price of alcohol and reducing the density of alcohol establishments in a given area.  Staffing expertise required: Policy advocate Target population: All students Research population: Not assessed  | ?      | \$   | ##       | 0                              |
| ENV-25           | Enact dram shop liability laws: Sales to intoxicated | This type of dram shop liability law is enacted at the state level to hold the owner or server(s) at a bar, restaurant, or other location responsible for damages caused by an intoxicated person who was overserved alcohol at that location. Liability can be established by case law or statute.  Staffing expertise required: Policy advocate Target population: All students Research population: General  | **     | \$\$ | ##       | ••••                           |
| ENV-26           | Enact dram shop liability laws: Sales to underage    | This type of dram shop liability law is enacted at the state level to hold the owner or server(s) at a bar, restaurant, or other location responsible for damages caused by an underage drinker who was sold alcohol at that location.  • Staffing expertise required: Policy advocate  • Target population: Underage students  • Research population: General  | **     | \$\$ | ##       | •••                            |

| Matrix<br>number | Strategy   | Description   | Effective-<br>ness | Cost           | Barriers | Research<br>amount/<br>quality |
|------------------|--|---|--------------------|----------------|----------|--------------------------------|
|                  |  | COMMUNITY-BASED ONLY (CONT.)  |                    |                |          |                                |
| ENV-27           | Prohibit home delivery of alcohol                | Under this strategy, local or state governments prohibit home delivery of alcohol, either by local establishments or over the Internet, with the intent of preventing underage alcohol sales.  • Staffing expertise required: Policy advocate  • Target population: Underage  • Research population: Not available  | ?                  | \$             | ##       | ••                             |
| ENV-28           | Enact keg registration laws                      | Keg registration laws, enacted at the local or state level, require alcohol retailers to place a unique identifier on a keg and record the purchaser's name and address at the time of sale. Keg registration enables law enforcement agents to identify and hold responsible the adult who provided the alcohol, should underage drinking occur.  • Staffing expertise required: Policy advocate  • Target population: Underage  • Research population: General  | *                  | \$\$\$         | ##       | •••                            |
| ENV-29           | Enact noisy assembly laws                        | Noisy assembly laws, enacted at the local or state level, give law enforcement legal cause to enter a private residence if a gathering of more than one person in a residential area or building produces noise that unreasonably disturbs the peace, quiet, or repose of another. Such laws also enable law enforcement to enter residences where they have reason to suspect underage drinking is occurring.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: Not assessed                          | ?                  | \$             | ##       | 0                              |
| ENV-30           | Limit number/density of alcohol establishments   | Under this strategy, local or state governments enact regulations that reduce the number of alcohol establishments or limit the number that may be established in a community or area, often through licensing or zoning laws.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: College, general  | **                 | \$\$           | ###      | ••••                           |
| ENV-31           | Enact responsible beverage service training laws | Responsible beverage service training laws, enacted at the local or state level, mandate that all or some servers, managers, and/or license holders at alcohol establishments receive formal training on how to responsibly serve alcohol. Training includes ways to recognize signs of intoxication, methods for checking age identification, and intervention techniques. Note: Rating based on research on the effect of a statewide law.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: General | **                 | \$\$\$         | ##       | •••                            |
| ENV-32           | Conduct shoulder tap campaigns                   | Shoulder tap campaigns are a method used to enforce minimum legal drinking age laws whereby undercover youth, supervised by local law enforcement, approach adults outside alcohol establishments and ask them to purchase alcohol on their behalf. When a violation occurs, law enforcement issues warnings or citations to the adult.  • Staffing expertise required: Policy advocate  • Target population: Underage students  • Research population: College, general  | ?                  | <b>\$\$</b> \$ | ##       | ••                             |

| Matrix<br>number | Strategy   | Description  | Effective-<br>ness | Cost   | Barriers | Research<br>amount/<br>quality |
|------------------|--|--|--------------------|--------|----------|--------------------------------|
|                  |  | COMMUNITY-BASED ONLY (CONT.)   |                    |        |          |                                |
| ENV-33           | Enact social host property laws                                  | Social host property laws are enacted by local or state governments to hold accountable adults who permit underage drinking to occur on property they control. The primary purpose of social host property laws is to deter underage drinking parties.  • Staffing expertise required: Policy advocate  • Target population: Underage students  • Research population: Not assessed  | ?                  | \$\$\$ | ##       | 0                              |
| ENV-34           | Enact social host provision laws                                 | Social host provision laws are enacted by local or state governments to hold accountable adults who supply alcohol to those under age 21.  • Staffing expertise required: Policy advocate  • Target population: Underage students  • Research population: College, general   | **                 | \$     | ##       | •••                            |
| ENV-35           | Retain <b>state-run alcohol retail stores</b> (where applicable) | Under this strategy, campuses and local and state governments support existing state control systems for wholesale and off-premises retail distribution whereby a state sets the prices of alcohol and gains profit/revenue directly rather than solely from taxation. Retention of the state system may reduce alcohol outlet density and pricing competition among commercial distributors.  • Staffing expertise required: Policy advocate  • Target population: All students  • Research population: General | **                 | \$\$   | ###      | ••••                           |
| ENV-36           | Require unique design for state ID cards for age < 21            | Under this strategy, states adopt a unique design for identification cards (e.g., vertical instead of horizontal state driver licenses) for those under age 21 so that age of the card holder is easier to identify.  • Staffing expertise required: Policy advocate  • Target population: Underage students  • Research population: Not assessed  | ?                  | \$\$\$ | ##       | 0                              |



## Appendix A: Strategy Planning Worksheet



## STRATEGY PLANNING WORKSHEET

Use this worksheet or download a copy to capture your thoughts about your current strategies and new ones you'd like to explore. Keep in mind:

**Priorities:** Which alcohol-related issues are of most concern to your campus? Make sure your school's needs and goals are well defined, and keep them front and center as you fill in the worksheet. **Effectiveness:** Does research show that your current strategies are effective in addressing your priority issues? Might others be *more* effective?

**Balance:** Realistically assess what you can do with your available resources. Strike a balance, if possible, between individual- and environmental-level strategies, and between strategies that will face few barriers and can be put in place quickly and others that may take longer to implement. Consider the financial cost relative to the program's expected effectiveness and the approximate percentage of the student body that the strategy will reach.

|  |                   |                    |               | CURRI   | ENT STRA | TEGIES  |  |
|--|-------------------|--------------------|---------------|---------|----------|---|--|
| Strategy Name<br>(and the IND or ENV identifier<br>from <i>CollegeAIM</i> , if applicable) | Indivi<br>Enviror | CollegeAIM Ratings |               |         |          | Notes and Next Steps: Keep as is? Modify to boost effectiveness? Add complementary strategies? Shift to more effective options?                       |  |
| понт <i>сопеделн</i> и, п аррпсавте)   | ✓ <u>IND</u>      | ✓ <u>ENV</u>       | Effectiveness | Cost    | Barriers | Reach: Broad or<br>Focused (% of<br>students)   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    | F             | POSSIBL | E NEW ST | RATEGIES  |  |
| Strategy Name (and the IND or ENV identifier   | Indivi<br>Enviror | CollegeAIM Ratings |               |         |          | <b>Notes and Next Steps:</b> Staff training or hiring needed? Other resources? Does the strategy require a plan for conducting an outcome evaluation? |  |
| from <i>CollegeAIM</i> )   | ✓ <u>IND</u>      | ✓ <u>ENV</u>       | Effectiveness | Cost    | Barriers | Reach: Broad or<br>Focused (% of<br>students)   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    |               |         |          |   |  |
|  |                   |                    |               |         |          |   |  |

# Appendix B: Frequently Asked Questions

Visit the *CollegeAlM* website (see URL below) for answers to these questions.

## About monitoring campus alcohol problems

• How do you recommend monitoring the extent of campus alcohol problems and the effects of our intervention efforts?

## About selecting and implementing strategies

### General questions about selecting strategies

- Why does *CollegeAIM* recommend both individual-level and environmental-level strategies?
- At times, we hear about campuses trying out interesting strategies that CollegeAlM doesn't identify, or that have too few studies to rate effectiveness. Should we follow suit?

## About specific individual-level strategies

- How do we choose strategies to target specific subgroups such as first-year students, student athletes, members of Greek organizations, and mandated students?
- Many of our incoming freshmen students arrive on campus with established drinking habits. How can we address this issue?
- How can we assess the potential effectiveness of commercial products before we invest our limited resources in them?
- Personalized feedback interventions (PFIs) and personalized normative feedback (PNF) are among the more effective individual-level strategies in *CollegeAIM*. What are PFI and PNF? Some of these are listed as "generic" strategies—what does "generic" mean? Where can we learn to implement a generic strategy?
- We are planning to conduct routine alcohol screenings and interventions through our health and counseling centers. Which screening tools should we use? Where can we find resources to train staff to deliver screenings and interventions with fidelity?

### About specific environmental-level strategies

- Where can we find models of campus-community collaboration that have been effective in reducing student alcohol use and related consequences?
- Most alcohol-related deaths among college students nationwide result from driving under the influence. What can alcohol and other drug program staff, working with campus leadership, do about this?

## About responding to potential objections or challenges

- How do I respond to people who say "College drinking has been around forever and students are always going to drink, so why bother?"
- Some people continue to wonder if campus officials could better manage student drinking if the minimum legal drinking age were reduced to age 18. What does the research say?
- How do I respond to comments that efforts to reduce alcohol-related problems on our campus may just shift them to off-campus locations?
- Campus revenue is declining. How can we build a case for investing in prevention?
- What can we accomplish with a limited budget?
- We've tried prevention strategies in the past and were not successful—how can we stay motivated?

## About *CollegeAlM* and ongoing research

- How did the research teams arrive at ratings for the various strategies?
- What are some ways to keep up with the research literature on college alcohol interventions?

## Appendix C: Supporting Resources

Federal Websites and Resources Supporting the Prevention of Underage and High-Risk Drinking by College Students

National Institute on Alcohol Abuse and Alcoholism (NIAAA) (www.niaaa.nih.gov)

**College Drinking: Changing the Culture** is a central location for information related to alcohol use by college students. Resources on this site include:

- College Alcohol Policies, by Campus
- Supporting Research

**Alcohol Policy Information System** provides detailed information on alcohol-related policies in the United States at both state and federal levels. Detailed state-by-state information is available for more than 30 policies.

**Safer Campuses and Communities** website is based on an NIAAA-funded study that examined a variety of environmental-level strategies that could be implemented on campuses and in their surrounding communities. A free toolkit for implementing the collaborative model is available online.

Substance Abuse and Mental Health Services Administration (www.samhsa.gov)

**National Registry of Evidence-based Programs and Practices** provides analyses, costs, and contact information for several individual-and environmental-level strategies to reduce alcohol use by college students.

**Center for the Application of Prevention Technologies** is a national substance abuse prevention training and technical assistance site. Resources on the site include:

- Evaluation tools and resources from federal and nonfederal sources
- Strategic Prevention Framework, a five-step planning process that guides the selection, implementation, and evaluation of evidencebased, culturally appropriate, sustainable prevention activities

Report to Congress on the Prevention and Reduction of Underage Drinking (2013) includes policy summaries and state summaries identifying current legislative and other ongoing efforts. This report is compiled by the Interagency Coordinating Committee on the Prevention of Underage Drinking and is available through www.StopAlcoholAbuse.gov and the SAMHSA Store.

### U.S. Department of Education (www.ed.gov)

**National Center on Safe Supportive Learning Environments** offers training, technical assistance activities, and resources to support assessment, capacity building, strategic planning, implementation, and evaluation. Resources on this site include:

- Using a Public Health and Quality Improvement Approach to Address High-Risk Drinking with 32 Colleges and Universities (2014)
- College Alcohol Risk Assessment Guide: Environmental Approaches to Prevention (2009)
- Methods for Assessing College Student Use of Alcohol and Other Drugs (2008)

### U.S. Department of Justice (www.justice.gov)

**Underage Drinking Enforcement Training Center** provides federal and non-federal resources, such as:

- College e-kit web section
- Preventing Binge Drinking on College Campuses: A Guide to Best Practices (2012)
- Promising Practices: Campus Alcohol Strategies (includes an Alcohol Task Force Action Planner)
- Party Patrols: Best Practice Guidelines for College Communities (2010)

## Appendix D: Acknowledgments

NIAAA wishes to thank the many contributors to *CollegeAIM* for their analyses, insights, and diligence, which helped craft a wealth of data and wisdom about college alcohol interventions into the first edition of this user-friendly tool.

### **DEVELOPMENT TEAMS**

## **Environmental-Level Strategies Team**

## Traci L. Toomey, Ph.D.

Professor, Division of Epidemiology and Community Health, School of Public Health University of Minnesota

## Kathleen M. Lenk, M.P.H.

Senior Research Fellow, Division of Epidemiology and Community Health, School of Public Health University of Minnesota

## Toben F. Nelson, Sc.D.

Associate Professor, Division of Epidemiology and Community Health, School of Public Health University of Minnesota

## **Individual-Level Strategies Team**

## Mary Larimer, Ph.D.

Professor, Department of Psychiatry and Behavioral Sciences, School of Medicine

Director, Center for the Study of Health and Risk Behaviors, Department of Psychology University of Washington

## Jessica M. Cronce, Ph.D.

Assistant Professor, Department of Psychiatry and Behavior Sciences, School of Medicine

University of Washington

## Jason R. Kilmer, Ph.D.

Associate Professor, Department of Psychiatry and Behavioral Sciences, School of Medicine Assistant Director of Health and Wellness for Alcohol and Other Drug Education University of Washington

## David S. Anderson, Ph.D.

Professor of Education and Human Development Director, Center for the Advancement of Public Health George Mason University

## Kate B. Carey, Ph.D.

Professor of Behavioral and Social Sciences Center for Alcohol and Addiction Studies School of Public Health Brown University

## John D. Clapp, Ph.D., FAAHB

Associate Dean for Research, College of Social Work Director, The Higher Education Center for Alcohol and Other Drug Misuse Prevention and Recovery The Ohio State University

## William DeJong, Ph.D.

Professor, School of Public Health Boston University

## Mark S. Goldman, Ph.D.

Distinguished University Professor, Department of Psychology University of South Florida

## Ralph Hingson, Sc.D., M.P.H.

Director, Division of Epidemiology and Prevention Research National Institute on Alcohol Abuse and Alcoholism

## Donald Kenkel, Ph.D.

Joan K. and Irwin M. Jacobs Professor, Department of Policy Analysis and Management College of Human Ecology Cornell University

## Robert F. Saltz, Ph.D.

Senior Scientist Prevention Research Center Pacific Institute for Research and Evaluation

## Helene R. White, Ph.D.

Distinguished Professor Center of Alcohol Studies Rutgers – The State University of New Jersey

## Mark Wolfson, Ph.D.

Professor, Department of Social Sciences and Health Policy, School of Medicine Wake Forest University

## NIAAA COLLEGE PRESIDENTS WORKING GROUP TO ADDRESS HARMFUL AND UNDERAGE DRINKING

## **Current Members**

Robert Barchi, M.D., Ph.D.

President

Rutgers – The State University of New Jersey

**Enku Gelaye** 

Vice Chancellor for Student Affairs University of Massachusetts-Amherst

Jonathan Gibralter, Ph.D.

President

Wells College

**Barbara** Lee

Senior Vice President for Academic Affairs Rutgers – The State University of New Jersey

Roderick J. McDavis, Ph.D.

President

Ohio University

Peter Philip Mercer, J.D., LL.M., Ph.D.

President

Ramapo College of New Jersey

Mark A. Nordenberg

Former Chancellor

University of Pittsburgh

**Harris Pastides, Ph.D.** 

President

University of South Carolina

**Daniel Porterfield, Ph.D.** 

President

Franklin and Marshall College

Judy Sakaki, Ph.D.

Vice President for Student Affairs University of California Chuck Staben, Ph.D.

President

University of Idaho

Samuel L. Stanley Jr., M.D.

President

Stony Brook University

E. Thomas Sullivan, J.D.

President

University of Vermont

Kent Syverud, M.A., J.D.

Chancellor

Syracuse University

## **Past Members**

Thomas Buchanan, Ph.D.

Former President

University of Wyoming

Robert Carothers, Ph.D., J.D.

**President Emeritus** 

University of Rhode Island

Alice P. Gast, Ph.D.

Former President

Lehigh University

Jim Yong Kim, M.D., Ph.D.

President Emeritus

**Dartmouth University** 

David Skorton, M.D.

Former President

**Cornell University** 

### ADDITIONAL CONTRIBUTORS

## Katelyn U. Cowen, M.P.H., CHES

Director, Office of Health Promotion, Division of Student Affairs Syracuse University

## Anna C. Edwards, M.Ed.

Director of Student Services Department of Student Life University of South Carolina

## **Brittany A. Goldstein, M.S.Ed.**

Chief of Staff and Board Liaison Office of the President Ramapo College of New Jersey

## Jeff Graham, Ed.D.

Assistant Vice President for Student Affairs Frostburg State University

## Jerlena Griffin-Desta, Ph.D.

Deputy Vice President—Student Affairs Executive Director, Student Services University of California

### Lara Hunter, LCSW

Coordinator of Alcohol and Drug Clinical Services National Coordinator of the Red Watch Band Program Stony Brook University

## Jean Kim, Ed.D.

Vice Provost for Student Affairs and Enrollment Management University of Idaho

## Terry Koons, M.Ed.

Associate Director, Campus Involvement Center for Health Promotion Division of Student Affairs Ohio University

## Lisa Laitman, M.S.Ed., LCADC

Director of Alcohol and Drug Assistance Program Rutgers – The State University of New Jersey

## Melodee Lasky, M.D.

Executive Director, Rutgers Health Services Rutgers – The State University of New Jersey

## **Robert Spahr**

Assistant to the President for Media Relations Office of the President and University Advancement Frostburg State University

## NIAAA *CollegeAIM* Development and Project Management Staff

## Vivian B. Faden, Ph.D.

Director, Office of Science Policy and Communications Associate Director for Behavioral Research

## Fred Donodeo, M.P.A.

Chief, Communications and Public Liaison Branch

### Maureen B. Gardner

Technical Publications Writer/Editor

## Notes

## Notes

## Visit CollegeAIM Online for: • Interactive matrices for comparing individual- and environmental-level interventions · A strategy planning worksheet that you can fill in online or download • Answers to frequently asked questions—see list on page 28 in this guide • Resources to help you implement strategies rated by CollegeAIM References for studies analyzed for CollegeAIM • A downloadable version of the CollegeAIM guide www.collegedrinkingprevention.gov/CollegeAIM www.CollegeDrinkingPrevention.gov/CollegeAIM 36

